



Cementoskin® bathtub with integrated overflow

AVAS1041E_

Benedini Associati, 2020



Finishes



Cementoskin® brick red



Cementoskin® green



Cementoskin® dark grey



Cementoskin® light grey



Cementoskin® coffee

Materials



Concrete




Bathtub with round interior realised in Cementoskin® (coloured concrete paste) in different colors, with overflow integrated in the chromed waste trap .MET0722 included, without tap holes. For an easier installation of the bathtubs we recommend to use the template for the positioning of the waste trap AKITPZVAS.


Height:	58 cm	22" 53/64 inches	
Diameter:	130 cm	51" 3/16 inches	
Weight:	235 kg	518 lbs	
Capacity:	465 I	123 gal	
Packaging:	143 x 143 x 68 cm	65" 3/8 x 65" 3/8 x 28" 3/8 inches	
Total weight:	300 kg	661 lbs	






Main dimensions













Dimensions for recess







Dimensions for wall mounted taps




		A*	B**	С
FEZ 2	(EFEZ027)	750 (29" 17/32)	-	80 (3"5/32)
LIMÓN	(ELIM443)	750 (29" 17/32)	-	80 (3"5/32)
MEMORY	(EMEM324, EMEM343)	750 (29" 17/32)	-	80 (3"5/32)
	(EMEM342)	750 (29" 17/32)	-	50 (1*31/32)
MEMORY MIX (EMIX437)		750 (29" 17/32)	-	50 (1*31/32)
SQUARE	(ERUB1117)	-	700 (27*9/16)	50 (1*31/32)
	(ERUB1118)	-	700 (27"9/16)	80 (3"5/32)
SEN	(ESEN0912V)	-	700 (27"9/16)	80 (3"5/32)

^{*} inserasse gruppo / axial distance for tap
** filo inferiore gruppo / Tap's lower edge





Quote per piantane da terra



				I	1
		A	В	С	D
FEZ2	(EFEZ026, .MET885)	90 (3"35/64)	175 (6*57/64)	421 (16*37 <i>[</i> 64)	822 (32"23/64)
	(EFEZ028)	135 (5"5/16)	230 (9*1/6)	477 (18"25/32)	877 (34*17/32)
LIMÓN	(ELIM425)	135 (5"5/16)	230 (9"1/6)	477 (18"25/32)	877 (34"17/32)
MEMORY	(EMEM325)	135 (5"5/16)	230 (9*1/6)	477 (18*25/32)	877 (34*17/32)
MEMORY MIX (EMIX425)		135 (5"5/16)	230 (9"1/6)	477 (18*25/32)	877 (34"17/32)
LIMÓN/MEMORY/MEMORY MIX					
	(EMEM327)	90 (3"35/64)	175 (6*57/64)	421 (16*37/64)	822 (32"23/64)
SQUARE	(ERUB1112, ERUB1115)	90 (3"35/64)	175 (6*57/64)	421 (16"37 <i>[</i> 64)	822 (32"23/64)
SEN	(ESEN0911, ESEN0977)	90 (3"35/64)	175 (6*57/64)	421 (16*37 <i>/</i> 64)	822 (32"23/64)