




Bathtub
 AVAS1095_

Benedini Associati, 2018

Ultra-light and easy to install free-standing bathtub.



Finishes

-  White/dark grey
-  White/light grey
-  White

Materials

-  Cristalplant® biobased




Bathtub in white Cristalplant® or two colourd (exterior in dark grey RAL7021 or light grey RAL7044); with overflow hole, without tap holes; taps can be wall or floor mounted. It is fitted with a waste with cap in white Cristalplant® .MET0725C (also suitable for bathtubs in display). The two-coloured model can be made in colours chosen by the client with a surcharge of 15% on the price of the two-coloured finish. For an easier installation of the bathtubs we recommend to use the template for the positioning of the waste trap AKITPZVAS.

Height:	51 cm	20" 5/64 inches
Length:	169.8 cm	66" 27/32 inches
Weight:	76 kg	168 lbs
Depth:	70 cm	27" 9/16 inches
Capacity:	300 l	79 gal
Packaging:	100 x 200 x 82 cm	39" 3/8 x 78" 3/4 x 32" 1/4 inches
Total weight:	168 kg	304 lbs




Main dimensions







Dimensions for recess





Installation notes: wall mounted tap





	A*	B**	C
FEZ 2 (EFEZ027)	660 (25'63/64)	-	80 (3'5/32)
LIMÓN (ELIM443)	660 (25'63/64)	-	80 (3'5/32)
MEMORY (EMEM324, EMEM343)	660 (25'63/64)	-	80 (3'5/32)
(EMEM342)	660 (25'63/64)	-	50 (1'31/32)
MEMORY MIX (EMIX437)	660 (25'63/64)	-	50 (1'31/32)
SQUARE (ERUB1117)	-	640 (25'13/64)	50 (1'31/32)
(ERUB1118)	660 (25'63/64)	-	80 (3'5/32)
SEN (ESEN0912)	-	660 (25'63/64)	50 (1'31/32)

* interasse gruppo / axial distance for tap
 ** filo inferiore gruppo / Tap's lower edge




Installation notes: floor-mounted t



	A	B	C	D
FEZ 2 (EFEZ026, MET885) (EFEZ028)	90 (3 ³⁵ / ₆₄) 135 (5 ⁵ / ₁₆)	210 (8 ¹⁷ / ₆₄) 245 (9 ⁴¹ / ₆₄)	560 (22 ³ / ₆₄) 595 (23 ²⁷ / ₆₄)	630 (24 ⁵¹ / ₆₄) 670 (26 ³ / ₈)
LIMÓN (ELIM425)	135 (5 ⁵ / ₁₆)	245 (9 ⁴¹ / ₆₄)	595 (23 ²⁷ / ₆₄)	670 (26 ³ / ₈)
MEMORY (EMEM325)	135 (5 ⁵ / ₁₆)	245 (9 ⁴¹ / ₆₄)	595 (23 ²⁷ / ₆₄)	670 (26 ³ / ₈)
MEMORY MIX (EMIX425)	135 (5 ⁵ / ₁₆)	245 (9 ⁴¹ / ₆₄)	595 (23 ²⁷ / ₆₄)	670 (26 ³ / ₈)
LIMÓN / MEMORY / MEMORY MIX (EMEM327)	90 (3 ³⁵ / ₆₄)	210 (8 ¹⁷ / ₆₄)	560 (22 ³ / ₆₄)	630 (24 ⁵¹ / ₆₄)
SQUARE (ERUB1112, ERUB1115)	90 (3 ³⁵ / ₆₄)	210 (8 ¹⁷ / ₆₄)	560 (22 ³ / ₆₄)	630 (24 ⁵¹ / ₆₄)
SEN (ESEN0911, ESEN0977)	90 (3 ³⁵ / ₆₄)	140 (5 ³³ / ₆₄)	490 (19 ¹⁹ / ₆₄)	560 (22 ³ / ₆₄)



Note



La vasca deve essere installata su un pavimento perfettamente piano.
The bathtub must be positioned on a flat floor surface.

E' necessario predisporre a pavimento un pozzetto.
It is necessary to prepare a recess in the floor.

Evitare di realizzare impianti di riscaldamento nell'area sottostante la vasca.
Avoid the installation of floor heating plants in the area under the bathtub.