




Bathtub AVAS0910_

Benedini Associati, 2008

Compact free-standing bathtub in Cristalplant® biobased.



Finishes



White



White/dark grey



White/light grey

Materials



Cristalplant® biobased




Bathtub in white Cristalplant® biobased or two colourd (exterior in dark grey RAL7021 or light grey RAL7044); with overflow hole, without tap holes; taps can be wall or floor mounted. Use of the waste with waste trap type .MET0477 or .MET0477C is mandatory (.MET0434 or .MET0477C for baths on display). The two-coloured model can be made in colours chosen by the client with a surcharge of 15% on the price of the two-coloured finish. For an easier installation of the bathtubs we recommend to use the template for the positioning of the waste trap AKITPZVAS.


Height:	50.5 cm	19" 7/8 inches
Length:	170.5 cm	67" 1/8 inches
Weight:	76 kg	168 lbs
Depth:	72 cm	28" 11/32 inches
Capacity:	273	72 gal
Packaging:	100 x 200 x 82 cm	39'' 3/8 x 78'' 3/4 x 32'' 1/4
Total weight:	134 kg	inches 295 lbs






Main dimensions













Dimensions for recess








Dimensions for wall mounted taps






	A*	B**	С
FEZ 2 (EFEZ027)	700 (27"1/2)	-	80 (3*5/32)
LIMÓN (ELIM443)	700 (27"1/2)	-	80 (3*5/32)
MEMORY (EMEM324, EMEM343)	700 (27"1/2)	-	80 (3*5/32)
(EMEM342)	700 (27"1/2)	-	50 (1"31/32)
MEMORY MIX (EMEM437)	700 (27"1/2)	-	50 (1"31/32)
SQUARE (ERUB1117)	-	700 (27*1/2)	50 (1"31/32)
(ERUB1118)	-	700 (27"1/2)	80 (3*5/32)
SEN (ASEN0912V)	-	700 (27"1/2)	50 (1"31/32)


inserasse gruppo / avial distance for tap
filo inferiore gruppo / Tap's lower edge





Dimensions for freestanding spouts







		1	1		ı	1	
		Α	В	С	D	E	F
FEZ 2	(EFEZ026, MET885)	90 (3"35/64)	180 (7"3/32)	435 (17"1/8)	560 (22"3/64)	620 (24"13/32)	1020 (40"5/32)
	(EFEZ028)	135 (5"5/16)	210 (8"17/64)	470 (18"1/2)	595 (23*27/64)	650 (25"19/32)	1050 (41"11/32)
LIMÓN	(ELIM425)	135 (5"5/16)	210 (8"17/64)	470 (18"1/2)	595 (23"27/64)	650 (25"19/32)	1050 (41"11/32)
MEMORY	Y (EMEM325)	135 (5"5/16)	210 (8"17/64)	470 (18"1/2)	595 (23"27/64)	650 (25"19/32)	1050 (41*11/32)
MEMORY MIX (EMIX425)		135 (5"5/16)	210 (8"17/64)	470 (18"1/2)	595 (23*27/64)	620 (24"13/32)	1020 (40"5/32)
LIMÓN / MEMORY / MEMORY MIX							
	(EMEM327)	90 (3"35/64)	180 (7"3/32)	435 (17"1/8)	560 (22"3/64)	620 (24"13/32)	1020 (40"5/32)
SQUARE	(ERUB1112, ERUB1115)	90 (3"1/8)	180 (7"3/32)	435 (17"1/8)	560 (22"3/64)	620 (24"13/32)	1020 (40*5/32)
SEN	(ESEN0911, ESEN0977)	90 (3"35/64)	140 (5"33/64)	365 (14"3/8)	490 (19"19/64)	590 (23"15/64)	990 (38"31/32)





Dimensions for tap support










Note



La vasca deve essere installata su un pavimento perfettamente piano. The bathtub must be positioned on a flat floor surface.

E' necessario predisporre a pavimento un pozzetto. It is necessary to prepare a recess in the floor.

Evitare di realizzare impianti di riscaldamento nell'area sottostante la vasca. Avoid the installation of floor heating plants in the area under the bathtub.